

The Impact of Social Media Exposure on Children's Mental Health in an Increasingly Complex Digital Era

Theresia M D Kaunang^{1*}, Anita Elizabeth Dundh², Lydia Edmay Viveca David³, Cicilia Pali⁴
Fakultas Kedokteran, Universitas Sam Ratulangi

Corresponding Author: Theresia M D Kaunang t.kaunang07@gmail.com

ARTICLE INFO

Keywords: Social Media Exposure, Children's Mental Health, Depression, Anxiety, Cyberbullying

Received : 12, July

Revised : 10, August

Accepted: 30, September

©2026 Kaunang, Dundh, David, Pali
: This is an open-access article distributed under the terms of the [Creative Commons Atribusi 4.0 Internasional](https://creativecommons.org/licenses/by/4.0/).



ABSTRACT

This research focuses on evaluating how social media influence affects the mental well-being of children in a more intricate digital landscape. A systematic review of the literature was carried out in accordance with the PRISMA 2020 standards. Comprehensive literature searches were performed across five primary academic platforms: Scopus, Web of Science, ScienceDirect, SpringerLink, and Google Scholar, encompassing articles published from 2019 up to 2025. Out of an initial collection of 245 studies, only ten met the criteria for inclusion and contributed to the final analysis. The results indicate that exposure to social media yields both detrimental and beneficial impacts on children's mental health. On the other hand, when utilized correctly, social media can also offer advantages like improved social ties, emotional assistance, opportunities for self-expression, access to information, and a deeper sense of belonging. In summary, the effects of social media on children's mental health are intricate and depend on the context, shaped by individual traits, usage habits, and the nature of online interactions. These results underscore the necessity for a balanced approach to digital engagement, digital literacy, and cooperative initiatives among parents, educators, policymakers, and tech providers to foster healthier digital interactions for children.

INTRODUCTION

The rapid progression of digital technology has fundamentally altered how children communicate, learn, and cultivate social connections. Social media platforms, including Instagram, TikTok, YouTube, and Facebook, have become deeply integrated into the daily lives of children worldwide (Keles et al., 2020; Valkenburg et al., 2022). These channels offer opportunities for young users to engage with peers, obtain information, express their identity, and build broader social networks than previous generations could (Odgers & Jensen, 2020; Gudka et al., 2023). Nevertheless, the growing intensity of social media usage has raised profound concerns regarding its potential repercussions on children's mental health within an increasingly dynamic and intricate digital landscape (Liu et al., 2024). Contemporary scholarship indicates that social media serves as a primary driver shaping children's psychological development through interconnected mechanisms, such as online interactions, content exposure, and identity construction (Liu et al., 2024).

Mental health represents a pivotal dimension of child development, underpinning emotional, social, and cognitive well-being. Robust mental health empowers children to foster psychological resilience, establish healthy interpersonal relationships, and attain optimal academic performance (World Health Organization, 2022). Conversely, psychological difficulties during childhood can exert long-lasting adverse effects on educational outcomes, social functioning, and overall life quality in adulthood (Twenge & Campbell, 2019; Viner et al., 2019). Extensive research demonstrates that excessive social media consumption correlates with heightened symptoms of depression, anxiety, psychological distress, and diminished self-esteem among children and adolescents (Kelly et al., 2019; McCrae et al., 2017). Furthermore, the trend toward social comparison inherent to online networking sites often amplifies feelings of inadequacy, negatively impairing psychological well-being (Valkenburg et al., 2022).

Conversely, the connection between social media usage and children's mental well-being is not uniformly negative. Numerous studies highlight that moderate and purposeful digital engagement can offer emotional support, reinforce social connectedness, and nurture a sense of belonging among youth (Odgers & Jensen, 2020; Gudka et al., 2023). Additionally, social platforms can promote educational opportunities, creative expression, and access to developmental learning resources (Best et al., 2014; Liu et al., 2024). Consequently, the impact of social media on pediatric mental health must be conceptualized as a complex, multidimensional phenomenon shaped by usage patterns, platform dynamics, individual traits, family environments, and the quality of online interactions (Valkenburg et al., 2022; Liu et al., 2024).

The complexity of today's digital environment is further heightened by the prevalence of personalized algorithms, artificial intelligence-generated content, viral trends, and heightened risks of cyberbullying and exposure to inappropriate material (Livingstone & Smith, 2014; Saleem et al., 2024). Longitudinal inquiries indicate that high levels of social media exposure are linked to sleep disruption, body image dissatisfaction, lowered self-worth, and

elevated depressive symptoms in adolescents (Kelly et al., 2019; Puukko et al., 2020). Moreover, spending over three hours daily on social media platforms correlates with a higher propensity for experiencing anxiety and depression, driven largely by disrupted sleep quality and online peer pressure (Viner et al., 2019; Saleem et al., 2024). These findings underscore the increasingly intricate dynamic between digital media exposure and youth psychological well-being.

The urgency of this investigation lies in the fact that contemporary children are growing up in a digital ecosystem fundamentally distinct from that of prior generations. Governments, educators, healthcare providers, and parents are increasingly alarmed by the broader implications of social media usage for children's mental health and psychosocial development (World Health Organization, 2022; Liu et al., 2024). Despite a growing body of academic literature, empirical findings remain mixed. While some studies underscore the adverse consequences of prolonged screen time, others argue that the quality and context of digital experiences carry far greater significance than total screen duration (Coyne et al., 2020; Odgers & Jensen, 2020). Such inconsistencies highlight the need for a more comprehensive investigation into how social media exposure impacts children's mental health in an increasingly complex digital age.

Prior studies have extensively investigated the association between social media use and mental health outcomes in children and adolescents. McCrae et al. (2017) observed a positive link between social media usage and depressive symptoms in youth. Kelly et al. (2019) identified that high social media engagement was associated with elevated depressive symptoms through mediating variables such as sleep deprivation, cyberbullying, and reduced self-esteem. Similarly, Puukko et al. (2020) demonstrated a longitudinal connection between intensive social media involvement and depressive tendencies. Through a systematic scoping review, Liu et al. (2024) concluded that social media can induce both beneficial and detrimental effects on pediatric mental health, contingent upon contextual variables. Furthermore, Saleem et al. (2024) emphasized anxiety and depression as the most frequently documented mental health concerns linked to social media use among younger populations.

Building upon the aforementioned context, this study aims to examine the impact of social media exposure on children's mental health within an increasingly complex digital era. Specifically, this inquiry seeks to identify the positive and negative psychological effects associated with social media use, examine the contextual factors that amplify or mitigate these outcomes, and deliver a comprehensive understanding of how digital engagement influences children's psychological well-being. The insights gained are intended to inform the formulation of evidence-based strategies, educational interventions, and policy guidelines designed to foster healthier digital environments for children.

LITERATURE REVIEW

Social Media Exposure and Children's Mental Health: Psychological Risks

Research examining the relationship between social media exposure and mental health outcomes consistently points to heightened risks of psychological distress, particularly depression and anxiety. In a comprehensive cohort study,

Kelly et al. (2019) demonstrated that high levels of social media engagement among adolescents were directly associated with an increase in depressive symptoms. Their study highlights that the psychological toll of social media is heavily influenced by self-esteem levels and online interactions, where continuous exposure to curated content often leads to unfavorable social comparisons and psychological vulnerability.

The Role of Mediating Mechanisms: Cyberbullying and Sleep Disruption

The pathway through which social media influences psychological well-being is frequently mediated by behavioral and environmental factors. Viner et al. (2019) examined these underlying mechanisms and identified cyberbullying and sleep disturbances as two critical mediators connecting frequent social media use with adverse mental health outcomes. Their findings indicate that night-time device usage disrupts natural sleep cycles and increases cognitive arousal, while persistent exposure to online harassment amplifies emotional distress. Consequently, these indirect pathways significantly compound the negative impact of digital exposure on young users.

Differential Susceptibility and the Multidimensional Impact

While much of the literature emphasizes harmful consequences, the effect of social media exposure is increasingly recognized as complex and context-dependent. In an umbrella review, Valkenburg et al. (2022) argued that social media use does not impact all individuals uniformly. Instead, outcomes vary substantially based on individual susceptibility, usage patterns, and the specific nature of online interactions. Their framework suggests that while problematic engagement exacerbates mental health risks, moderate and intentional social media use can offer positive psychological benefits, such as enhanced social connectedness and peer support.

METHODOLOGY

This study adopted a Systematic Literature Review (SLR) methodology to comprehensively identify, evaluate, and synthesize existing research regarding the impact of social media exposure on children's mental health in an increasingly complex digital ecosystem. The SLR approach was selected for its rigorous, transparent, and replicable structure, providing a sound foundation for reviewing scientific literature and deriving evidence-based conclusions from prior scholarship (Snyder, 2019; Xiao & Watson, 2019). The review protocol strictly adhered to the Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA 2020) framework, which encompasses four essential phases: identification, screening, eligibility assessment, and inclusion of relevant studies (Page et al., 2021).

The literature search was executed between January and March 2026 across five major academic databases: Scopus, Web of Science, ScienceDirect, SpringerLink, and Google Scholar. These platforms were chosen due to their extensive indexing of peer-reviewed publications within psychology, education, health sciences, and digital media disciplines. The search strategy combined targeted keywords and Boolean operators, such as "social media exposure,"

"social media use," "children's mental health," "child psychological well-being," "adolescent mental health," "digital era," and "social networking sites." To ensure the capture of contemporary empirical evidence reflecting present-day digital environments and social media trends, the search parameters were restricted to articles published between 2019 and 2025.

During the identification phase, a total of 245 records were gathered across all databases: 72 from Scopus, 48 from Web of Science, 56 from ScienceDirect, 29 from SpringerLink, and 40 from Google Scholar. All retrieved references were migrated into a reference manager for systematic auditing. Following duplicate resolution, 35 duplicate records were removed, yielding 210 unique studies for subsequent screening.

The screening stage entailed evaluating article titles, abstracts, and keywords to determine their alignment with the core research topic. Studies were excluded if they omitted social media usage, lacked mental health parameters, focused exclusively on adult populations, or constituted non-empirical literature. At this juncture, 140 articles were removed due to irrelevance to the relationship between social media exposure and youth mental health, leaving 70 papers for full-text evaluation.

The eligibility assessment phase comprised a thorough full-text appraisal of the remaining 70 articles. To be included, studies had to meet the following criteria: (1) focus on pediatric or adolescent populations aged 6–18 years; (2) examine the influence of social media exposure or usage on mental health outcomes, including anxiety, depression, psychological well-being, self-esteem, emotional distress, or social functioning; (3) be published in peer-reviewed journals; (4) offer full-text access; and (5) be written in English. Studies were excluded if they were conference proceedings, book chapters, editorials, opinion articles, dissertations, methodologically inadequate studies, or research centered broadly on general internet use without specific focus on social media. During this stage, 60 papers were excluded for specific reasons: 21 lacked a dedicated focus on social media, 15 targeted adult cohorts, 12 omitted relevant mental health outcomes, 7 were unavailable in full text, and 5 failed to meet methodological quality benchmarks.

Following the PRISMA selection workflow, a final set of 10 articles met all inclusion criteria and were synthesized in the systematic review. These studies spanned diverse geographic regions, methodological designs, and theoretical frameworks, offering a multifaceted understanding of social media's impact on children's mental health. The selection pipeline is summarized as follows: 245 records identified, 35 duplicates removed, 210 records screened, 140 records excluded during title/abstract screening, 70 full-text articles assessed for eligibility, 60 articles excluded post full-text evaluation, and 10 studies included in the final synthesis. Data extraction was conducted using a standardized matrix capturing author details, publication year, country of study, study design, sample demographics, social media variables, mental health indicators, and core findings. To maintain analytical consistency, all selected publications were systematically coded according to predefined categories. The extracted data underwent thematic analysis involving open coding, thematic development,

pattern recognition, and cross-study comparison. This process facilitated the synthesis of key thematic domains, providing a comprehensive appraisal of both the constructive and adverse psychological dimensions of social media engagement in today's digital landscape.




Figure 1. PRISMA 2020 Flow Diagram

RESULTS

Adhering to the literature selection protocol outlined in the PRISMA 2020 guidelines, an initial pool of 245 records was retrieved from five academic databases: Scopus, Web of Science, ScienceDirect, SpringerLink, and Google Scholar. Following the removal of 35 duplicate entries, 210 unique articles advanced to the screening phase. During the preliminary title and abstract evaluation, 140 papers were excluded due to lack of thematic relevance, absence of focus on pediatric mental health, or inclusion of adult cohorts. Subsequently, 70 full-text articles underwent rigorous eligibility assessment. Of these, 60 studies were omitted because they lacked specific investigation into social media usage, omitted key mental health outcome variables, were inaccessible in full-text format, or failed to satisfy the established methodological quality thresholds. Upon completing the selection pipeline, 10 studies fulfilled all inclusion criteria and were included in the final narrative synthesis.

The finalized selection of studies encompasses diverse geographic regions and incorporates various empirical designs, including longitudinal inquiries, quantitative cross-sectional surveys, systematic reviews, scoping reviews, and narrative reviews. Collectively, these investigations explore the relationship between social media engagement and multiple psychological indicators in children and adolescents, such as depression, anxiety, psychological well-being, self-esteem, sleep disruption, and the consequences of cyberbullying. A comprehensive summary detailing the characteristics of these included studies is provided in Table 1.

Table 1. Characteristics of Selected Studies

No .	Author(s)	Year	Country	Research Design	Sample/Participants	Main Findings
1	Kelly et al.	2019	United Kingdom	Longitudinal Study	10,904 adolescents	High social media use was associated with increased depressive symptoms through sleep disruption, cyberbullying, and low self-esteem.
2	Viner et al.	2019	United Kingdom	Longitudinal Study	Adolescents aged 13–15 years	Cyberbullying and sleep disturbances significantly mediated the relationship between social media use and mental health problems.
3	Twenge and Campbell	2019	United States	Secondary Data Analysis	National adolescent datasets	Increased screen and social media use were associated with lower psychological well-being.
4	Keles et al.	2020	International	Systematic Review	13 empirical studies	Social media use was consistently associated with anxiety, depression, and psychological distress among adolescents.
5	Odgers and Jensen	2020	International	Annual Research Review	Multiple studies	The effects of social media varied across individuals and contexts, producing

						both positive and negative outcomes.
6	Puukko et al.	2020	Finland	Longitudinal Study	Adolescents aged 13–18 years	Intensive social media use predicted increased depressive symptoms over time.
7	Valkenburg et al.	2022	International	Umbrella Review	Multiple review studies	Social media impacts differed substantially depending on individual susceptibility and usage patterns.
8	Gudka et al.	2023	International	Systematic Review	118 studies	Social media may contribute positively to social connectedness, belongingness, and psychological flourishing.
9	Liu et al.	2024	International	Systematic Scoping Review	72 studies	Social media produced both beneficial and harmful effects on children's mental health depending on contextual factors.
10	Saleem et al.	2024	International	Systematic Narrative Review	Multiple studies	Anxiety and depression were the most frequently reported mental health outcomes associated with social media use.

As detailed in Table 1, the majority of the analyzed studies were published between 2019 and 2024, highlighting that the impact of social media on children's mental health remains a rapidly evolving and highly pertinent domain of inquiry. Methodologically, longitudinal designs and various forms of systematic or scoping literature reviews predominated. Overall, the empirical evidence consistently demonstrated robust associations between social media exposure and several psychological outcomes, notably depression, anxiety, sleep disturbances, lowered self-esteem, and general psychological distress.

However, the reviewed literature also revealed that digital engagement is not inherently harmful. A subset of studies identified positive outcomes, such as heightened social support, an elevated sense of belonging, enhanced social

connectedness, and avenues for psychological flourishing when platforms are utilized in a balanced and constructive manner. These findings indicate that the influence of social media on youth psychological well-being is nuanced, multidimensional, and conditioned by individual characteristics, social dynamics, and digital environmental variables. Consequently, understanding both the vulnerabilities and benefits associated with social media exposure is essential for crafting targeted interventions aimed at promoting healthier digital practices among children and adolescents.

The thematic synthesis of the ten selected studies yielded five core themes regarding the impact of social media exposure on pediatric mental health within an increasingly complex digital era: (1) Social Media Exposure and Depressive Symptoms, (2) Social Media Exposure and Anxiety Disorders, (3) Cyberbullying and Psychological Distress, (4) Sleep Disturbance as a Mediating Mechanism, and (5) Positive Psychological Outcomes of Social Media Engagement. These themes emerged consistently across the reviewed literature, offering a balanced appraisal of both the adverse and beneficial dimensions of youth social media usage.

Social Media Exposure and Depressive Symptoms

A prominent finding across the reviewed literature is the positive association between social media exposure and depressive symptoms in pediatric and adolescent cohorts. Kelly et al. (2019) demonstrated that adolescents reporting higher levels of social media engagement exhibited a greater likelihood of experiencing depressive symptoms relative to their less engaged peers. Similarly, Puukko et al. (2020) observed that intensive social media usage predicted increases in depressive symptoms over time, suggesting that prolonged digital exposure may compound psychological vulnerability. Twenge and Campbell (2019) likewise reported an inverse relationship between screen-based activities—including social media—and overall adolescent psychological well-being.

The systematic review by Keles et al. (2020) further substantiated that excessive social media consumption is systematically linked to depression and psychological distress. Several studies posited that depressive tendencies stem from underlying mechanisms such as social comparison, fear of missing out (FOMO), and exposure to idealized portrayals of peer experiences. These dynamics often foster negative self-evaluations and feelings of inadequacy among young users. Consequently, depression represents one of the most critical mental health outcomes associated with social media exposure in contemporary literature.

Social Media Exposure and Anxiety Disorders

The second primary theme concerns the relationship between social media engagement and anxiety disorders. Multiple studies indicated that frequent platform use can elevate anxiety levels, particularly among adolescents who exhibit high reliance on virtual interactions. Saleem et al. (2024) underscored anxiety as one of the most frequently documented psychological outcomes

associated with youth social media use. Likewise, Keles et al. (2020) identified consistent empirical evidence linking social media activity with heightened anxiety manifestations.

The reviewed body of work suggests that anxiety may be triggered by structural aspects of digital platforms, including constant connectivity demands, pressure to maintain an active online presence, fear of negative peer appraisal, and concerns regarding online acceptance. Adolescents frequently experience distress when comparing their lives to curated online images or attempting to meet perceived digital social standards. Furthermore, the rapid flow of information and continuous content streams can induce cognitive overload and emotional exhaustion, thereby increasing susceptibility to anxiety-related symptoms.

Cyberbullying and Psychological Distress

Cyberbullying emerged as another critical theme compromising youth mental health within digital environments. Viner et al. (2019) identified cyberbullying as a key mediating factor linking social media usage to adverse mental health outcomes. Children subjected to online harassment, social exclusion, or verbal abuse reported higher rates of depression, anxiety, emotional distress, and compromised self-esteem. Similarly, Kelly et al. (2019) established that cyberbullying significantly mediated the link between high social media consumption and depressive symptoms.

The reviewed literature emphasized that cyberbullying differs from traditional offline bullying due to its pervasive, unbounded nature, reaching victims anywhere and at any time. Social media platforms enable anonymous harassment, public shaming, and rapid dissemination of harmful content, compounding psychological harm. Protracted exposure to cyberbullying often engenders feelings of isolation, helplessness, social withdrawal, and diminished psychological resilience. Thus, cyberbullying represents one of the most severe hazards tied to youth digital participation.

Sleep Disturbance as a Mediating Factor

Another salient theme identified in the review is the mediating role of sleep disruption in connecting social media use to mental health problems. Both Kelly et al. (2019) and Viner et al. (2019) documented that excessive social media involvement correlates with compromised sleep quality, shorter sleep duration, and irregular sleep schedules among adolescents. These sleep deficits subsequently elevated the risk of developing depression, anxiety, and emotional dysregulation.

Several underlying mechanisms account for this pathway. First, nocturnal social media use directly displaces essential sleep time. Second, exposure to stimulating content and nighttime interactions heightens cognitive and emotional arousal, hindering sleep onset. Third, the blue light emitted by digital screens suppresses melatonin secretion, disrupting natural circadian rhythms. These findings collectively demonstrate that sleep disturbance functions as an indirect pathway through which social media exposure compromises mental health outcomes.

Positive Psychological Outcomes of Social Media Use

While significant academic focus centers on adverse outcomes, several studies also highlighted the constructive possibilities of social media for youth mental health. Gudka et al. (2023) demonstrated that social media can foster social connectedness, emotional support, and a sense of belonging when used mindfully. Similarly, Odgers and Jensen (2020) argued that digital media effects are not uniformly negative, varying considerably based on individual traits, usage context, and platform features.

Liu et al. (2024) further noted that social media can offer educational opportunities, platforms for self-expression, peer support networks, and access to mental health resources. For certain individuals, online spaces provide a safe environment for sharing experiences, seeking advice, and maintaining interpersonal bonds. Valkenburg et al. (2022) underscored that social media effects exhibit substantial individual heterogeneity, with some users reaping psychological benefits while others experience harm. These insights indicate that social media should be conceptualized not merely as a risk factor, but as a complex digital ecosystem capable of yielding both positive and negative psychological impacts.

The synthesis of these ten selected studies illustrates that social media exposure exerts a profound impact on children's mental health through multiple interconnected pathways. The literature consistently identifies depression, anxiety, cyberbullying, and sleep disruption as primary risk factors linked to excessive or problematic digital consumption. Simultaneously, social media offers meaningful psychological benefits, including social support, connectedness, and opportunities for self-expression. Overall, the findings suggest that the psychological impact of social media on youth is highly context-dependent, underscoring the necessity of balanced digital habits alongside informed guidance from parents, educators, and policy makers.

DISCUSSION

Social Media Exposure and Depression Symptoms

The findings of this review indicate that depression is one of the most consistently documented psychological outcomes linked to social media exposure among pediatric and adolescent demographics. Studies by Kelly et al. (2019), Puukko et al. (2020), Twenge and Campbell (2019), and Keles et al. (2020) collectively establish that elevated engagement with social media platforms correlates with higher levels of depressive symptoms. These empirical insights reinforce the premise that continuous exposure to curated and idealized online content fosters upward social comparison mechanisms, which can impair self-esteem and psychological well-being. Children and adolescents exhibit heightened vulnerability to these dynamics due to their ongoing identity consolidation and evolving emotional regulation capacities.

The relationship between social media engagement and depression can also be framed through the lens of Social Comparison Theory. Social networking platforms predominantly showcase highly selective, positive portrayals of users'

lives, prompting young individuals to compare themselves with peers who appear more accomplished, physically attractive, or socially connected. Such comparisons frequently induce feelings of personal inadequacy, self-dissatisfaction, and lowered self-worth. Furthermore, the persistent pursuit of digital validation via likes, comments, and follower metrics can heighten emotional reliance on virtual interactions, thereby intensifying susceptibility to depressive symptoms. Consequently, the evidence suggests that depression is not merely a product of cumulative screen time, but rather an outcome of the underlying psychological processes triggered during online interactions.

Social Media Exposure and Anxiety Disorders

The review also demonstrates a robust association between social media usage and anxiety-related manifestations among children and adolescents. Aligned with the findings of Saleem et al. (2024) and Keles et al. (2020), frequent social media exposure appears to escalate psychological pressure, particularly among young users who attribute substantial significance to online presence and peer validation. Anxiety may stem from apprehension surrounding social inclusion, fear of negative appraisal, and the perceived obligation to maintain a favorable digital persona.

The construct of Fear of Missing Out (FOMO) offers a compelling framework for explaining this phenomenon. Social media channels afford continuous visibility into peer activities, accomplishments, and social gatherings. As a result, youth may experience heightened anxiety over potential exclusion from social events or missed shared experiences. Additionally, the unrelenting inflow of digital notifications and content streams can induce cognitive overload and emotional exhaustion. These insights indicate that the digital domain has introduced novel forms of psychological stress that diverge significantly from conventional offline social dynamics.

Cyberbullying and Psychological Distress

Cyberbullying emerged as a pivotal determinant mediating the connection between social media involvement and adverse mental health outcomes. The empirical evidence from Viner et al. (2019) and Kelly et al. (2019) confirms that cyberbullying substantially drives depression, anxiety, emotional distress, and compromised self-esteem in children and adolescents. In contrast to traditional bullying, cyberbullying operates persistently across digital networks, reaching victims irrespective of temporal or geographic constraints.

The pervasive nature of cyberbullying intensifies its psychological severity. Hostile messaging, online harassment, digital exclusion, and the rapid dissemination of derogatory content can engender profound helplessness and social alienation. In many instances, victims endure repeated exposure without adequate avenues for avoidance or emotional recovery. This highlights the imperative for robust digital safety protocols, expanded digital citizenship education, and heightened parental and institutional oversight of children's online activities. Mitigating cyberbullying is essential not only for alleviating psychological distress but also for establishing safer digital spaces for youth.

Sleep Disturbance as a Mediating Mechanism

Another salient finding of this review is the role of sleep disturbance as an indirect mediating pathway connecting social media exposure to psychological difficulties. Both Kelly et al. (2019) and Viner et al. (2019) identified poor sleep quality and diminished sleep duration as primary channels through which excessive social media use fuels depression and anxiety. This suggests that social media's impact on mental health is frequently indirect, operating through behavioral and physiological disruptions.

Several mechanisms account for this relationship. First, nocturnal engagement with smartphones and social media applications directly displaces vital sleep duration. Second, emotionally stimulating digital interactions heighten cognitive and affective arousal, hindering sleep latency. Third, blue light emissions from electronic devices suppress melatonin synthesis and disrupt circadian rhythms. Restorative sleep is fundamental to emotional regulation, cognitive function, and psychological resilience; thus, chronic sleep disruption exacerbates the adverse mental health impacts of digital exposure. These findings underscore the necessity of promoting healthy digital hygiene, particularly regarding pre-bedtime device usage.

Positive Psychological Outcomes of Social Media Use

While much of the literature emphasizes digital risks, this review also identifies several beneficial psychological outcomes. Inquiries by Gudka et al. (2023), Odgers and Jensen (2020), Liu et al. (2024), and Valkenburg et al. (2022) indicate that social media can foster social connectedness, provide emotional support, facilitate self-expression, and broaden access to valuable information. For numerous young individuals, digital platforms serve as vital arenas for maintaining friendships, seeking peer advice, and engaging with affinity groups.

These insights challenge the reductionist assumption that social media is inherently destructive. Instead, the evidence indicates that social media's impact is contingent upon how, why, and under what circumstances engagement occurs. Constructive use—characterized by supportive interactions, positive relationships, and educational pursuits—can foster psychological flourishing. Conversely, problematic use involving excessive duration, toxic social comparison, and exposure to harmful content amplifies psychological risks. Therefore, a balanced framework is required when assessing social media's role in youth development.

Comparison with Previous Literature

The findings of this review align with prior literature establishing that social media engagement yields both constructive and adverse mental health outcomes in children and adolescents. Earlier scholarship consistently identified depression, anxiety, cyberbullying, and sleep disruption as primary liabilities associated with excessive platform use (Kelly et al., 2019; Keles et al., 2020; Viner et al., 2019). The present review reinforces these conclusions by demonstrating that these themes remain highly prominent across recent empirical inquiries across diverse contexts.

Concurrently, this review aligns with contemporary paradigms highlighting the heterogeneity of media effects (Odgers & Jensen, 2020; Valkenburg et al., 2022). Rather than producing uniform psychological impacts, social media affects individuals differently based on personal dispositions, social environments, and usage patterns. This perspective transcends binary debates framing digital media as strictly harmful or beneficial, emphasizing instead the intrinsic complexity of digital experiences. Consequently, future research should continue investigating moderating and mediating variables that elucidate why certain children thrive within digital spaces while others experience adverse psychological outcomes.

Practical Implications

The outcomes of this review offer meaningful implications for parents, educators, healthcare providers, and policymakers. Parents should actively monitor online engagement and cultivate balanced digital habits while maintaining open discourse regarding online experiences. Educators can embed digital literacy and online safety modules within school curricula to foster critical evaluation of online content and social interactions among students.

Policymakers and technology developers must collaborate to strengthen child safeguarding protocols on digital platforms. Features designed to curb cyberbullying, restrict exposure to harmful content, and incentivize healthy digital behaviors can improve psychological outcomes. Furthermore, mental health practitioners should routinely evaluate social media engagement as a relevant clinical parameter when assessing pediatric mental health.

Theoretical Implications

Theoretically, the findings support multidimensional frameworks conceptualizing social media as both a risk factor and a protective asset for mental health. This review demonstrates that media effects cannot be captured solely by usage frequency, but must incorporate contextual determinants such as interaction quality, social support, individual vulnerability, and digital literacy. These findings contribute to the expanding literature advocating for ecological and developmental approaches to digital media research.

Furthermore, the review underscores the utility of foundational frameworks—such as Social Comparison Theory, Uses and Gratifications Theory, and the Differential Susceptibility to Media Effects Model—in explaining differential youth responses to social media exposure. Future theoretical advancements should continue integrating psychological, social, and technological dimensions to provide a more holistic understanding of how digital environments shape psychological well-being during childhood and adolescence..

CONCLUSIONS AND RECOMMENDATIONS

This systematic literature review evaluated the impact of social media exposure on pediatric mental health within an increasingly complex digital era by synthesizing empirical evidence from ten peer-reviewed studies published between 2019 and 2024. The review demonstrates that social media exerts a profound and multifaceted influence on children's psychological well-being,

engendering both positive and adverse outcomes contingent upon the nature, frequency, and context of digital interaction. The synthesized findings consistently highlight depression, anxiety, cyberbullying, and sleep disruption as the primary mental health concerns linked to excessive or problematic social media consumption. Furthermore, social comparison processes, the fear of missing out (FOMO), continuous exposure to curated online content, and uninterrupted digital connectivity were identified as key psychological mechanisms driving negative mental health outcomes in children and adolescent.

At the same time, the review highlights that social media should not be viewed solely as a source of psychological risk. When used constructively and in moderation, social media can foster social connectedness, emotional support, self-expression, access to information, and a sense of belonging. These positive outcomes demonstrate that the effects of social media are highly dependent on individual characteristics, patterns of use, the quality of online interactions, family support, and broader social contexts. Therefore, the relationship between social media exposure and children's mental health is neither universally harmful nor universally beneficial, but rather dynamic, complex, and context-dependent.

The findings further emphasize the critical role of mediating factors, particularly cyberbullying and sleep disturbance, in shaping mental health outcomes. Children exposed to online harassment and disrupted sleep patterns appear especially vulnerable to depression, anxiety, and psychological distress. Consequently, efforts to promote children's mental well-being in digital environments should extend beyond merely limiting screen time and instead focus on improving the quality of digital experiences, strengthening digital literacy, encouraging healthy online behaviors, and fostering supportive social environments.

From a practical perspective, the review underscores the importance of collaborative efforts among parents, educators, healthcare professionals, policymakers, and technology companies. Effective strategies should include parental guidance, digital citizenship education, cyberbullying prevention programs, age-appropriate platform regulations, and the development of safer online environments for young users. Such interventions can help maximize the benefits of social media while minimizing its potential psychological risks.

Finally, future research should move beyond simple measurements of social media usage duration and investigate the underlying mechanisms, contextual influences, and individual differences that shape children's responses to digital media exposure. Longitudinal and cross-cultural studies are particularly needed to better understand how evolving digital technologies influence mental health across different developmental stages. By adopting a more nuanced and evidence-based understanding of social media use, stakeholders can develop more effective approaches to support children's mental health and well-being in an increasingly interconnected digital world.

FURTHER STUDY

Future research should examine the long-term effects of social media exposure on children's mental health by considering differences in age, gender,

patterns of use, types of digital content, and platform characteristics. Further studies are also encouraged to investigate the roles of parental supervision, family support, digital literacy, and school environments as potential protective factors against negative psychological outcomes. In addition, longitudinal and cross-cultural research could provide a deeper understanding of how prolonged exposure to social media influences anxiety, depression, self-esteem, sleep quality, social relationships, and emotional development over time. Future research should also explore the potential benefits of social media, including social connection, emotional expression, and access to educational resources, to develop balanced and evidence-based strategies for creating safer and healthier digital environments for children.

ACKNOWLEDGMENT

The authors would like to express their sincere gratitude to all individuals and institutions who contributed to the completion of this study. Appreciation is extended to the academic community, research participants, and all parties who provided valuable support, information, and constructive input throughout the research process. The authors also acknowledge the importance of continued collaboration among families, schools, researchers, policymakers, and digital platform providers in promoting responsible digital engagement and protecting children's mental health in an increasingly complex digital environment.

REFERENCES

- Best, P., Manktelow, R., & Taylor, B. (2014). Online communication, social media and adolescent wellbeing: A systematic narrative review. *Children and Youth Services Review*, 41, 27–36. <https://doi.org/10.1016/j.childyouth.2014.03.001>
- Coyne, S. M., Rogers, A. A., Zurcher, J. D., Stockdale, L., & Booth, M. (2020). Does time spent using social media impact mental health? An eight-year longitudinal study. *Computers in Human Behavior*, 104, 106160. <https://doi.org/10.1016/j.chb.2019.106160>
- Gudka, M., Sillence, E., & Wang, Y. (2023). Towards a framework for flourishing through social media: A systematic review of 118 research studies. *The Journal of Positive Psychology*, 18(4), 589–608. <https://doi.org/10.1080/17439760.2022.2106045>
- Keles, B., McCrae, N., & Grealish, A. (2020). A systematic review: The influence of social media on depression, anxiety, and psychological distress in adolescents. *International Journal of Adolescence and Youth*, 25(1), 79–93. <https://doi.org/10.1080/02673843.2019.1590851>
- Kelly, Y., Zilanawala, A., Booker, C., & Sacker, A. (2019). Social media use and adolescent mental health: Findings from the UK Millennium Cohort Study. *EClinicalMedicine*, 6, 59–68. <https://doi.org/10.1016/j.eclinm.2018.12.005>
- Liu, T., Cheng, Y., Luo, Y., Wang, Z., Pang, P. C.-I., Xia, Y., & Lau, Y. (2024). The impact of social media on children's mental health: A systematic scoping review. *Healthcare*, 12(23), 2391. <https://doi.org/10.3390/healthcare12232391>

- Livingstone, S., & Smith, P. K. (2014). Annual research review: Harms experienced by child users of online and mobile technologies. *Journal of Child Psychology and Psychiatry*, 55(6), 635–654. <https://doi.org/10.1111/jcpp.12197>
- Martín-Martín, A., Orduna-Malea, E., Thelwall, M., & Delgado López-Cózar, E. (2018). Google Scholar, Web of Science, and Scopus: A systematic comparison of citations in 252 subject categories. *Journal of Informetrics*, 12(4), 1160–1177. <https://doi.org/10.1016/j.joi.2018.09.002>
- McCrae, N., Gettings, S., & Pursell, E. (2017). Social media and depressive symptoms in childhood and adolescence: A systematic review. *Adolescent Research Review*, 2(4), 315–330. <https://doi.org/10.1007/s40894-017-0053-4>
- Moher, D., Liberati, A., Tetzlaff, J., & Altman, D. G. (2009). Preferred reporting items for systematic reviews and meta-analyses: The PRISMA statement. *PLoS Medicine*, 6(7), e1000097. <https://doi.org/10.1371/journal.pmed.1000097>
- Odgers, C. L., & Jensen, M. R. (2020). Annual research review: Adolescent mental health in the digital age. *Journal of Child Psychology and Psychiatry*, 61(3), 336–348. <https://doi.org/10.1111/jcpp.13190>
- Page, M. J., McKenzie, J. E., Bossuyt, P. M., Boutron, I., Hoffmann, T. C., Mulrow, C. D., Shamseer, L., Tetzlaff, J. M., Akl, E. A., Brennan, S. E., Chou, R., Glanville, J., Grimshaw, J. M., Hróbjartsson, A., Lalu, M. M., Li, T., Loder, E. W., Mayo-Wilson, E., McDonald, S., ... Moher, D. (2021). The PRISMA 2020 statement: An updated guideline for reporting systematic reviews. *Systematic Reviews*, 10(1), 89. <https://doi.org/10.1186/s13643-021-01626-4>
- Puukko, K., Hietajärvi, L., Maksniemi, E., Alho, K., & Salmela-Aro, K. (2020). Social media use and depressive symptoms: A longitudinal study from early to late adolescence. *International Journal of Environmental Research and Public Health*, 17(16), 5921. <https://doi.org/10.3390/ijerph17165921>
- Saleem, N., Young, P., & Yousuf, S. (2024). Exploring the relationship between social media use and symptoms of depression and anxiety among children and adolescents: A systematic narrative review. *Cyberpsychology, Behavior, and Social Networking*, 27(11), 745–758. <https://doi.org/10.1089/cyber.2024.0123>
- Snyder, H. (2019). Literature review as a research methodology: An overview and guidelines. *Journal of Business Research*, 104, 333–339. <https://doi.org/10.1016/j.jbusres.2019.07.039>
- Twenge, J. M., & Campbell, W. K. (2019). Media use is linked to lower psychological well-being: Evidence from three datasets. *Psychiatric Quarterly*, 90(2), 311–331. <https://doi.org/10.1007/s11126-019-09630-7>
- Valkenburg, P. M., Meier, A., & Beyens, I. (2022). Social media use and its impact on adolescent mental health: An umbrella review. *Current Opinion in Psychology*, 44, 58–68. <https://doi.org/10.1016/j.copsyc.2021.08.017>
- Viner, R. M., Gireesh, A., Stiglic, N., Hudson, L. D., Goddings, A. L., Ward, J. L., & Nicholls, D. E. (2019). Roles of cyberbullying, sleep, and physical activity in mediating the effects of social media use on mental health and wellbeing among young people. *The Lancet Child & Adolescent Health*, 3(10), 685–696.

- [https://doi.org/10.1016/S2352-4642\(19\)30186-5](https://doi.org/10.1016/S2352-4642(19)30186-5)
- World Health Organization. (2022). World Mental Health Report: Transforming Mental Health for All. World Health Organization.
- Xiao, Y., & Watson, M. (2019). Guidance on conducting a systematic literature review. *Journal of Planning Education and Research*, 39(1), 93–112. <https://doi.org/10.1177/0739456X17723971>.
- Kelly, Y., Zilanawala, A., Booker, C., & Sacker, A. (2019). Social media use and adolescent mental health: Findings from the UK Millennium Cohort Study. *EClinicalMedicine*, 6, 59–68. <https://doi.org/10.1016/j.eclinm.2018.12.005>
- Valkenburg, P. M., Meier, A., & Beyens, I. (2022). Social media use and its impact on adolescent mental health: An umbrella review. *Current Opinion in Psychology*, 44, 58–68. <https://doi.org/10.1016/j.copsyc.2021.08.017>
- Viner, R. M., Gireesh, A., Stiglic, N., Hudson, L. D., Goddings, A. L., Ward, J. L., & Nicholls, D. E. (2019). Roles of cyberbullying, sleep, and physical activity in mediating the effects of social media use on mental health and wellbeing among young people. *The Lancet Child & Adolescent Health*, 3(10), 685–696. [https://doi.org/10.1016/S2352-4642\(19\)30186-5](https://doi.org/10.1016/S2352-4642(19)30186-5)